


When used as part of Advanced Pavement Technology's exclusive BASS™ method, these pavers allow for natural stormwater drainage and groundwater recharge, making the paved surface ecologically sound and economically smart. In fact, the BASS™ method is an acceptable post-structural Best Management Practice (BMP) used to meet the federal stormwater management requirements. Roads and parking lots created using BASS™ with these permeable pavers offer vast benefits.

- Meeting EPA stormwater requirements with a superior solution for NPDES Phase II
- Achieving significant savings and fostering ecological integrity through enhanced land planning
- Outperforming other systems in harsh climates or with freeze/thaw cycles
- Delivering maximum strength to handle heavy vehicular traffic
- Producing remarkable curb appeal and convenient maintenance access
- Providing outstanding results on a 50-year life-cycle cost analysis

Aqua-Bric® and **Aqua-Bricloc®** are licensed shapes, available only from Advanced Pavement Technology or selected national manufacturers. The pavers are manufactured according to ASTM C936 specifications. They can be produced in a variety of custom colors and installed using manual or mechanical methods. The new paver shapes can also be combined during installation to achieve a number of attractive patterns in an ecological pavement system.



Bio-Aquifer Storm System™



Ecologically sound. Economically smart. And exclusively from Advanced Pavement Technology.

For more information about the BASS™ program, please contact Advanced Pavement Technology toll-free at (877) 551-4200 or visit our website at www.advancedpavement.com.



Advanced Pavement Technology
 807 N. Bridge St. Yorkville, Illinois 60560
 Toll-free (877) 551-4200 | (630) 551-4200 | Fax (630) 608-1208
 mike@advancedpavement.com

www.advancedpavement.com

